<10718925>

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1626kas

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	SEP 01	New pricing for the Save Answers for SciFinder Wizard within STN Express with Discover!
NEWS	4	OCT 28	KOREAPAT now available on STN
NEWS	5	NOV 30	PHAR reloaded with additional data
NEWS	6	DEC 01	LISA now available on STN
NEWS	7	DEC 09	12 databases to be removed from STN on December 31, 2004
NEWS	8	DEC 15	MEDLINE update schedule for December 2004
NEWS	9	DEC 17	ELCOM reloaded; updating to resume; current-awareness alerts (SDIs) affected
NEWS	10	DEC 17	COMPUAB reloaded; updating to resume; current-awareness alerts (SDIs) affected
NEWS	11	DEC 17	SOLIDSTATE reloaded; updating to resume; current-awareness alerts (SDIs) affected
NEWS	12	DEC 17	CERAB reloaded; updating to resume; current-awareness alerts (SDIs) affected
NEWS	13	DEC 17	THREE NEW FIELDS ADDED TO IFIPAT/IFIUDB/IFICDB
NEWS	14	DEC 30	EPFULL: New patent full text database to be available on STN
NEWS	15	DEC 30	CAPLUS - PATENT COVERAGE EXPANDED
NEWS	16	JAN 03	No connect-hour charges in EPFULL during January and February 2005
NEWS	17	FEB 25	CA/CAPLUS - Russian Agency for Patents and Trademarks (ROSPATENT) added to list of core patent offices covered
NEWS	18	FEB 10	STN Patent Forums to be held in March 2005
NEWS	19	FEB 16	STN User Update to be held in conjunction with the 229th ACS National Meeting on March 13, 2005
NEWS	20	FEB 28	PATDPAFULL - New display fields provide for legal status data from INPADOC
NEWS	21	FEB 28	BABS - Current-awareness alerts (SDIs) available
NEWS	22	FEB 28	MEDLINE/LMEDLINE reloaded
NEWS	23	MAR 02	GBFULL: New full-text patent database on STN
NEWS	24	MAR 03	REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS	25	MAR 03	MEDLINE file segment of TOXCENTER reloaded

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN

<10718925>

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 08:56:13 ON 07 MAR 2005

=> FIL STNGUIDE

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'STNGUIDE' ENTERED AT 08:56:43 ON 07 MAR 2005
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Mar 4, 2005 (20050304/UP).

=> FIL HOME

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.06	0.27

FILE 'HOME' ENTERED AT 08:56:49 ON 07 MAR 2005

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	1.05	1.32

FILE 'REGISTRY' ENTERED AT 08:59:32 ON 07 MAR 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 4 MAR 2005 HIGHEST RN 842949-55-7
DICTIONARY FILE UPDATES: 4 MAR 2005 HIGHEST RN 842949-55-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more

<10718925>

information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
http://www.cas.org/ONLINE/DBSS/registryss.html

=>
Uploading C:\Program Files\Stnexp\Queries\10718925.str



chain nodes :
6 7 8 12 13 19
ring nodes :
1 2 3 4 5 9 14 15 16 17 18
chain bonds :
1-6 6-7 7-8 8-9 8-12 12-13 12-19
ring bonds :
1-2 1-5 2-3 3-4 4-5 9-14 9-18 14-15 15-16 16-17 17-18
exact/norm bonds :
1-2 1-5 2-3 3-4 4-5 6-7 7-8 12-13 12-19
exact bonds :
1-6 8-9 8-12
normalized bonds :
9-14 9-18 14-15 15-16 16-17 17-18

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:Atom 12:CLASS
13:CLASS 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS

L1 STRUCTURE UPLOADED

=> d
L1 HAS NO ANSWERS
L1 STR

<10718925>



Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 08:59:54 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 160 TO ITERATE

100.0% PROCESSED 160 ITERATIONS 4 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 2442 TO 3958
PROJECTED ANSWERS: 4 TO 200

L2 4 SEA SSS SAM L1

=> file caplus
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION
FULL ESTIMATED COST 0.43 1.75

FILE 'CAPLUS' ENTERED AT 09:00:01 ON 07 MAR 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

<10718925>

FILE COVERS 1907 - 7 Mar 2005 VOL 142 ISS 11
FILE LAST UPDATED: 6 Mar 2005 (20050306/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l2
L3 6 L2

=> d ibib abs hitstr tot

L3 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2004:308415 CAPLUS
DOCUMENT NUMBER: 140:321240
TITLE: Preparation of lactam-containing diaminoalkanes, β-amino acids, α-amino acids and derivatives thereof as factor Xa inhibitors
INVENTOR(S): Qiao, Jennifer X.; Han, Wei
PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA
SOURCE: PCT Int. Appl., 172 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
WO 2004031145	A2	20040415	WO 2003-US31079		20031001
WO 2004031145	A3	20040701			
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW					
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
US 2004077635	A1	20040422	US 2003-677063		20031001
PRIORITY APPLN. INFO.:			US 2002-415366P	P	20021002
			US 2002-417208P	P	20021009

OTHER SOURCE(S): MARPAT 140:321240
GI



II



III



IV



V

AB The title compds. PMM1 [I; one of P and M1 = G and the other -AB; G = II, III (wherein ring D, including the two carbon atoms of ring E to which it is attached, is (un)substituted 5-6 membered ring consisting of carbon atoms and 0-3 heteroatoms selected from N, O, S(O)0-2; ring D may contain 0-3 ring double bonds; ring E = (un)substituted Ph, pyridyl, pyrimidinyl, etc.; alternatively, ring D is absent); M = (un)substituted 3-8 membered linear chain consisting of carbon atoms, carbonyl groups, thiocarbonyl, heteroatoms, and there are 0-2 double bonds and 0-1 triple bond; A = (un)substituted carbocycle, 5-12 membered heterocycle; B = IV (wherein Q1 = CO, SO2; ring Q = (un)substituted 4-8 membered monocyclic or bicyclic ring optionally containing optionally heteroatoms, and optionally fused, etc.; X = absent, CO, SO, SO2, etc.)], useful as inhibitors of trypsin-like serine proteases, specifically factor Xa for treating thromboembolic disorder, were prepared E.g., a 3-step synthesis of V, starting from 1-(4-aminophenyl)-1H-pyridin-2-one and Boc-DL-PHG-OH, was given. The number of compds. I were found to exhibit Ki's of ≤ 10 μM against human factor Xa. The pharmaceutical composition comprising the compound I is claimed.

IT **678174-75-9P**
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of lactam-containing diaminoalkanes, β-amino acids, α-amino acids and derivs. thereof as factor Xa inhibitors for treating thromboembolic disorder)

RN 678174-75-9 CAPLUS

CN 2-Thiophenecarboxamide, 5-chloro-N-[2-oxo-2-[[4-(2-oxo-1(2H)-pyridinyl)phenyl]amino]-1-phenylethyl]- (9CI) (CA INDEX NAME)



<10718925>

L3 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1998:761898 CAPLUS
DOCUMENT NUMBER: 130:25057
TITLE: New process for preparation of methyl (2-halophenyl)(6,7-dihydro-4H-thieno[3,2-c]pyridin-5-yl)acetates with antithrombotic activity
INVENTOR(S): Bakonyi, Maria; Csatari Nagy, Marianna; Molnar, Levente, Mrs.; Gajary, Antal; Alattyani, Edit
PATENT ASSIGNEE(S): Sanofi, Fr.
SOURCE: PCT Int. Appl., 24 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9851689	A1	19981119	WO 1998-HU48	19980511
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
HR 980240	B1	20030228	HR 1998-980240	19980506
ZA 9803921	A	19981109	ZA 1998-3921	19980508
CA 2289623	AA	19981119	CA 1998-2289623	19980511
AU 9874448	A1	19981208	AU 1998-74448	19980511
AU 735702	B2	20010712		
EP 981529	A1	20000301	EP 1998-921670	19980511
EP 981529	B1	20020116		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
TR 9902783	T2	20000421	TR 1999-9902783	19980511
EE 9900488	A	20000615	EE 1999-488	19980511
EE 3925	B1	20021216		
BR 9809112	A	20000801	BR 1998-9112	19980511
RU 2172315	C1	20010820	RU 1999-126506	19980511
NZ 501577	A	20011026	NZ 1998-501577	19980511
JP 2001525819	T2	20011211	JP 1998-548956	19980511
AT 212025	E	20020215	AT 1998-921670	19980511
PT 981529	T	20020628	PT 1998-921670	19980511
ES 2172141	T3	20020916	ES 1998-921670	19980511
CN 1109036	B	20030521	CN 1998-805036	19980511
SK 283700	B6	20031202	SK 1999-1516	19980511
CZ 292820	B6	20031217	CZ 1999-3939	19980511
EG 21973	A	20020531	EG 1998-520	19980512
TW 552263	B	20030911	TW 1998-87109424	19980612
NO 9905533	A	19991213	NO 1999-5533	19991112
MX 9910434	A	20000831	MX 1999-10434	19991112
US 6180793	B1	20010130	US 1999-423549	19991112
HK 1027350	A1	20031017	HK 2000-106408	20001010
PRIORITY APPLN. INFO.:			HU 1997-885 A	19970513
			WO 1998-HU48 W	19980511

OTHER SOURCE(S): MARPAT 130:25057
GI



I



II



III

AB A process for the preparation of title compds. I [X = halo] from [[2-(2-thienyl)ethyl]amino](2-halophenyl)acetamides II via Me (thienylethylamino)(halophenyl)acetate derivs. III is disclosed. I and their salts, e.g., the drug clopidogrel, have platelet-aggregation-inhibitory and antithrombotic activity (no data). The method eliminates the use of lacrimatory and irritant α-halophenylacetic acid derivs. as intermediates. For instance, II [X = Cl] (preparation given) was hydrolyzed with H2SO4 in MeOH to give the corresponding Me ester hydrochloride III.HCl [X = Cl] (82.5%), which was cyclized with paraformaldehyde in formic acid to give the HCl salt of clopidogrel racemate, i.e., I.HCl [X = Cl], in 86.6% yield. A total of 22 examples illustrate both racemic and optically active variations of different steps in the overall process.

IT **216249-70-6P**
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; improved preparation of clopidogrel and analogs via (thienylethylamino)(halophenyl)acetamides and -acetates)

RN 216249-70-6 CAPLUS

CN Benzeneacetamide, 2-chloro-α-[[2-(2-thienyl)ethyl]amino]-, (αR)-, (2R,3R)-2,3-dihydroxybutanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 216249-69-3
CMF C14 H15 Cl N2 O S

Absolute stereochemistry. Rotation (-).

<10718925>



CM 2

CRN 87-69-4
CMF C4 H6 O6

Absolute stereochemistry.



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1998:761892 CAPLUS
DOCUMENT NUMBER: 130:24964
TITLE: New 2-[(2-thienyl)ethylamino](2-halophenyl)acetonitrile intermediates for clopidogrel and analogs, and process for their preparation
INVENTOR(S): Heymes, Alain; Castro, Bertrand; Bakonyi, Maria; Csatari Nagy, Marianna; Molnar, Levente, Mrs.
PATENT ASSIGNEE(S): Sanofi, Fr.
SOURCE: PCT Int. Appl., 26 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9851682	A1	19981119	WO 1998-HU46	19980511
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2288637	AA	19981119	CA 1998-2288637	19980511
AU 9874446	A1	19981208	AU 1998-74446	19980511

<10718925>

EP 981525	A1	20000301	EP 1998-921668		19980511
EP 981525	B1	20040128			
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI					
BR 9809113	A	20000801	BR 1998-9113		19980511
JP 2001525817	T2	20011211	JP 1998-548954		19980511
AT 258551	E	20040215	AT 1998-921668		19980511
PT 981525	T	20040531	PT 1998-921668		19980511
ES 2213900	T3	20040901	ES 1998-921668		19980511
NO 9905531	A	19991213	NO 1999-5531		19991112
MX 9910431	A	20000831	MX 1999-10431		19991112
US 6215005	B1	20010410	US 2000-423548		20000503
PRIORITY APPLN. INFO.:			HU 1997-886	A	19970513
			WO 1998-HU46	W	19980511

OTHER SOURCE(S): MARPAT 130:24964

GI



I



II



III

AB A process for the preparation of [[2-(2-thienyl)ethyl]amino](2-halophenyl)acetonitriles I [X = halo] from [2-(2-thienyl)ethyl]amine (II) is disclosed. I are valuable intermediates for Me (2-halophenyl)(6,7-dihydro-4H-thieno[3,2-c]pyridin-5-yl)acetates III and their salts, e.g., the drug clopidogrel, which have platelet-aggregation-inhibitory and antithrombotic activity (no data). The method eliminates the use of lacrimatory and irritant α-halophenylacetic acid derivs. as intermediates. For instance, II.HCl was added to aqueous NaCN, followed by o-chlorobenzaldehyde in EtOH, and the mixture was stirred at 60° for 2 h, to give 94% I [X = Cl]. The latter nitrile in MeOAc was treated with HCl gas and then MeOH to give 94% of the corresponding amide hydrochloride, which was neutralized in 88.2% yield. The resultant amide free base was hydrolyzed with H2SO4 in MeOH to give the corresponding Me ester (as hydrochloride, 82%), which was cyclized with paraformaldehyde in formic acid to give the HCl salt of clopidogrel racemate, i.e., III.HCl [X = Cl], in 86.6% yield. A total of 22 examples illustrate both racemic and optically active variations of various steps in the overall process.

IT **216249-70-6P**

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(process intermediate; preparation of (thienylethylamino)(halophenyl)acetoni

<10718925>

triles as new intermediates for clopidogrel and analogs)
RN 216249-70-6 CAPLUS
CN Benzeneacetamide, 2-chloro-α-[[2-(2-thienyl)ethyl]amino]-, (αR)-, (2R,3R)-2,3-dihydroxybutanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 216249-69-3
CMF C14 H15 Cl N2 O S

Absolute stereochemistry. Rotation (-).



CM 2

CRN 87-69-4
CMF C4 H6 O6

Absolute stereochemistry.



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1998:761891 CAPLUS
DOCUMENT NUMBER: 130:24963
TITLE: New 2-[(2-thienyl)ethylamino](2-halophenyl)acetamide intermediates for clopidogrel and analogs, and process for their preparation
INVENTOR(S): Bakonyi, Maria; Csatari Nagy, Marianna; Molnar, Levente, Mrs.; Makovi, Zoltan; Jobb, Piroska; Bai, Tibor, Mrs.
PATENT ASSIGNEE(S): Sanofi, Fr.
SOURCE: PCT Int. Appl., 24 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

<10718925>

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9851681	A1	19981119	WO 1998-HU47	19980511
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2289545	AA	19981119	CA 1998-2289545	19980511
AU 9874447	A1	19981208	AU 1998-74447	19980511
EP 981524	A1	20000301	EP 1998-921669	19980511
EP 981524	B1	20030423		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
BR 9809111	A	20000801	BR 1998-9111	19980511
JP 2001525818	T2	20011211	JP 1998-548955	19980511
AT 238294	E	20030515	AT 1998-921669	19980511
PT 981524	T	20030829	PT 1998-921669	19980511
ES 2195335	T3	20031201	ES 1998-921669	19980511
NO 9905532	A	19991213	NO 1999-5532	19991112
MX 9910433	A	20000630	MX 1999-10433	19991112
US 6258961	B1	20010710	US 1999-423801	19991112
PRIORITY APPLN. INFO.:			HU 1997-884 A	19970513
			WO 1998-HU47 W	19980511

OTHER SOURCE(S): CASREACT 130:24963; MARPAT 130:24963

GI



I



II



III

AB A process for the preparation of [[2-(2-thienyl)ethyl]amino](2-halophenyl)acetamides I [X = halo] from nitriles II is disclosed. I are valuable intermediates for Me (2-halophenyl)(6,7-dihydro-4H-thieno[3,2-c]pyridin-5-yl)acetates III and their salts, e.g., the drug clopidogrel, which have platelet-aggregation-inhibitory and antithrombotic activity (no data). The method eliminates the use of lacrimatory and irritant α-halophenylacetic acid derivs. as intermediates. For instance, II [X = Cl] in MeOAc at 15-25° was treated with HCl gas and then MeOH

<10718925>

to give after 6 h a precipitate of crystalline I.HCl [X = Cl] in 94% yield. This amide was hydrolyzed with H2SO4 in MeOH to give the corresponding Me ester hydrochloride (82%), which was cyclized with paraformaldehyde in formic acid to give the HCl salt of clopidogrel racemate, i.e., III.HCl [X = Cl], in 86.6% yield. A total of 22 examples illustrate both racemic and optically active variations of different steps in the overall process.

IT **216249-70-6P**
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(invention intermediate; preparation of (thienylethylamino)(halophenyl)acetamides as new intermediates for clopidogrel and analogs)

RN 216249-70-6 CAPLUS

CN Benzeneacetamide, 2-chloro-α-[[2-(2-thienyl)ethyl]amino]-, (αR)-, (2R,3R)-2,3-dihydroxybutanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 216249-69-3
CMF C14 H15 Cl N2 O S

Absolute stereochemistry. Rotation (-).



CM 2

CRN 87-69-4
CMF C4 H6 O6

Absolute stereochemistry.



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1986:33940 CAPLUS
DOCUMENT NUMBER: 104:33940
TITLE: Cephalosporin derivatives
PATENT ASSIGNEE(S): Zenyaku Kogyo Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 15 pp.

<10718925>

CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 60100586	A2	19850604	JP 1983-207015	19831104

PRIORITY APPLN. INFO.: JP 1983-207015 19831104
OTHER SOURCE(S): CASREACT 104:33940
GI



I



II



III

AB Cephalosporin derivs. (I; R1-4 = H, NO2, CF3, alkyl, etc.; R5 = H, HO; R6 = H, alboxy; R7 = acyloxy, heterocyclic thio; n = 0, 2), effective antibacterials at 0.025-100 μg/mL, were prepared Thus, 0.4 mmol N,O-bis(trimethylsilyl)acetamide was added to a suspension of 0.12 mmol II in MeCN at 0°, stirred at room temperature, cooled to 0°, 0.24 mmol propylene oxide and 0.12 mmol III were added, and the mixture stirred at 0° to give 91% I (R1 = R4 = R5 = R6 = H, R2 = R3 = HO, R7 = 1-methyl-1,2,3,6-tetrazol-5-ylthio, n = 0).

IT **99743-50-7P**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and antibacterial activity of)

RN 99743-50-7 CAPLUS

CN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[[(3-chloro-5,6,7-trimethoxybenzo[b]thien-2-yl)carbonyl]amino]phenylacetyl]amino]-3-[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo-, [6R-[6α,7β(R*)]]- (9CI) (CA INDEX NAME)

<10718925>

Absolute stereochemistry.



L3 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1981:65461 CAPLUS
DOCUMENT NUMBER: 94:65461
TITLE: 4-Unsubstituted azetidinone derivatives
INVENTOR(S): Hashimoto, Masashi; Hemmi, Keiji; Kamiya, Takashi; Komori, Tadaaki; Nakaguti, Osamu; Saito, Yoshihisa; Shiokawa, Youichi; Takasugi, Hisahi; Takaya, Takao; Teraji, Tsutomu
PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan
SOURCE: U.S., 130 pp. Cont.-in-part of U.S. Ser. No. 694,891, abandoned.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
US 4207234	A	19800610	US 1977-858375		19771207
US 4472300	A	19840918	US 1980-130205		19800313
PRIORITY APPLN. INFO.:			US 1975-593668	A2	19750707
			US 1976-694891	A2	19760610
			US 1977-858375	A3	19771207

OTHER SOURCE(S): CASREACT 94:65461
GI



I

AB Lactacillanic acids and analogs I (R = NH2, acylamino, benzenesulfonamido; R1 = CO2H, pharmaceutically acceptable salt or ester derivative of CO2H; R2 = H, NH2, NO2, halo, alkoxy, alkylthio; R3 = H, OH, alkyl, alkylthio, OCH2Ph; R4 = H, Halo, alkoxy, alkylthio), which showed bactericidal activity, were prepared Thus, 3-aminolactacillanic acid reacted with

<10718925>

PhCH2COCl in water-Me2CO containing NaHCO3 to yield I (R = PhCH2CONH, R1 = CO2H, R3 = OH, R2 = R4 = H).

IT **75263-65-9**
RL: RCT (Reactant); RACT (Reactant or reagent)
(N-alkylation of)

RN 75263-65-9 CAPLUS

CN 2-Thiopheneacetamide, N-[2-oxo-2-[(2-oxo-3-azetidinyl)amino]-1-phenylethyl]- (9CI) (CA INDEX NAME)



=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	30.09	31.84

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-4.38	-4.38

STN INTERNATIONAL LOGOFF AT 09:00:31 ON 07 MAR 2005